



M515


TRACK TROMMEL

MDS M515

The M515 Track Trommel is perfect for cleaning dirty material and can handle rocks up to 800mm (32") in size. It comes complete with fold out stockpiling conveyors and is ideal for moving around the quarry and from one site to the next.

Suitable for:

- Overburden
- Sticky/Dirty Clay
- Rip-Rap/Armour Rock
- Steel Slag
- Limestone
- Primary Screening
- Demolition/Concrete
- Blasted Rocks




CHANGEABLE SCREENS

2 2/3" (50/75mm)	2 2/3" (50/75mm)
4" (100mm)	5" (125mm)
6" (150mm)	8" (200mm)
10" (250mm)	12" (300mm)






TECHNICAL SPECIFICATION DIMENSIONS

MACHINE SPECIFICATIONS

WEIGHT: 48 tons	APPROX TONS PER HOUR: 350 to 500
DRUM DIAMETER: 1.5m (4ft 11")	ENGINE: 96kW (128.7HP) Cat 4.4
DRUM LENGTH: 5.5m (18ft 1")	TRANSPORT LENGTH: 17,047mm (55' 11")
NUMBER OF OUTPUTS: 3 off	TRANSPORT WIDTH: 2980mm (9'9"), 3179mm (10' 5") with Grid
MAX ROCK SIZE: 800mm (32")	TRANSPORT HEIGHT: 3497m (11'6"), 3735mm (12' 3") with Grid



MDS TROMMEL RANGE

MODEL		TONS PER HOUR	DRUM DIAMETER /LENGTH	MAX FEED SIZE	NUMBER OF OUTPUTS	SCREEN OPENINGS	HOPPER CAPACITY	FEED MECHANISM	ENGINE AND CONTROLS
 M412 TROMMEL	Mobile track machine for use with primary blast, dirty material or rip rap.	250 to 300 tons	1.25m (4ft 1")/ 4m (13ft 1")	600mm (24")	2 off	25mm to 150mm (1" to 6")	12 tons or 4m ³	Hydraulic Push Feeder	Cat 2.2 Tier 4 Stage 5 Dual Cert
 M413 TROMMEL	A large heavy duty static rock trommel ideal for cleaning dirty rock or screening blasted material.	250 to 300 tons	1.25m (4ft 1")/ 4m (13ft 1")	600mm (24")	3 off	Fines up to 150mm (6") Mid Product up to 300mm (12")	12 tons or 4m ³	Hydraulic Push Feeder	Cat 2.2 Tier 4 Stage 5 Dual Cert
 M515 TROMMEL	Mobile track machine for use with primary blast, dirty material or rip rap.	Up to 500 tons	1.5m (4ft 11")/ 4m (16ft 5")	800mm (32")	3 off	Fines up to 200mm (8") Mid Product up to 460mm (18")	20 tons or 12.6m ³	Hydraulic Push Feeder	Cat 4.4/ Electronic Control System
 M518R TROMMEL	Compact track trommel designed for use in various applications.	Application Specific	1.8m (5ft 11")/ 5m (16ft 5")	-	2 off	5mm to 50mm (0.2" to 2")	5m ³	Hydraulic Push Feeder	Cat 2.2/ Electronic Control System
 M720R TROMMEL	Recycling trommel ideal for screening heavy materials.	800 tons	2m (6ft 6")/ 7m (22ft 11")	800mm (32")	2-4 off	Up to 800mm (32")	15 tons approx	Apron Feeder	Electric/ Control System



Drummond, Magheraclone
A81 TE82, Carrickmacross
Co. Monaghan, Ireland

+353 42 966 7899
mds.info@terex.com
terex.com/mds